### TRANSACTION REPORT

MAR-01-2006 WED 03:03 PM

FOR: OIL, GAS & MINING

801 359 3940

DATE	START	RECEIVER	TX TIME	PAGES	TYPE	NOTE	M#	DP	
MAR-01	03:02 PM	14356862223	46"	2	SEND	OK	542	2	_

TOTAL:

46S PAGES:

m/037/088



## State of Utah DEPARTMENT OF NATURAL RESOURCES Division of Oil, Gas & Mining

MICHAEL R. STYLER
Executive Director

JOHN R. BAZA
Division Director

## UTAH DIVISION OF OIL, GAS AND MINING FACSIMILE COVER SHEET

DATE: 3-1-06
FAX#: 435-686-2223
ATTN: Lantz Indurgard
COMPANY: Lishon Valley
NUMBER OF PAGES (INCLUDING THIS ONE):
FROM: Penny-Dogm
If you do not receive all of the pages, or if they are illegible, please call (801) 538-5340. We are sending from a sharp facsimile machine. Our telecopier number is (801) 359-3940.



# State of Utah DEPARTMENT OF NATURAL RESOURCES Division of Oil, Gas & Mining

MICHAEL R. STYLER Executive Director JOHN R. BAZA Division Director

### UTAH DIVISION OF OIL, GAS AND MINING FACSIMILE COVER SHEET

DATE: 3-1-0(e
FAX#: 435-686-2223
ATTN: Lantz Indergard
COMPANY: Lishon Valley
NUMBER OF PAGES (INCLUDING THIS ONE):
FROM: Penny-DOGM
If you do not receive all of the pages, or if they are illegible, please call (801) 538-5340. We are sending from a sharp facsimile machine. Our telecopier number is (801) 359-3940.
MESSAGES: Here is the information you
requested from Paul Baker.
Thank you

Important: This message is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return this original message to us at the above address via regular postal service. Thank you.

4.	Proposed Disturbances (Approximate):								
	Drill Pads: How many? $17$ Width $100$ (ft) Length $50$ (ft)								
	Drill Holes: How many? $20$ Depth $630$ (ft) Diameter $6$ (in)								
	Shafts, trenches, pits, cuts, or other types of disturbance.								
	Describe type, how many of each, and general dimensions								
	New Road(s): Length 3500 (ft) Width 20 (ft)								
	☐ Improved Road(s) Length(ft) Width(ft)								
	Total project acreage to be disturbed(acres)								
	Proposed exploration schedule (dates):								
	Begin: End:								

#### IV. OPERATION AND RECLAMATION PRACTICES (Rules R647-2-107, 108, and 109)

An exploration site is required to be kept in a clean and safe condition. Upon completion of exploration, the land is to be reclaimed to a useful condition with at least 70 percent of the original vegetative ground cover. To accomplish this, the Permittee / Operator will need to do the following work where applicable:

- 1. Keep the exploration site in a safe, clean, and environmentally stable condition.
- 2. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
- 3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination, in accordance with R647-2-108.
- 4. Construct berms, fences, or barriers, when needed, above highwalls and excavations.
- 5. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
- 6. Remove all waste or debris from stream channels.
- 7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
- 8. Conduct exploration activities so as to minimize erosion and control sediment.
- 9. Reclaim all roads that are not part of a permanent transportation system.

SUPERCEDED